State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-102

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1996 model-year Caterpillar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine D	isplacement	Exhaust Emission Control
	Liters (Cubic Inches)	Systems and Special Features
TCP403DZDABA	6.6	(403)	Turbocharger Smoke Puff Limitter Charge Air Cooler Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine Family	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
TCP403DZDABA	0.1	0.7	4.5	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seg.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 2 day of November 1995.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

Page	1	٥f	1
1450		QL.	

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer		Caterpillar Inc.	Engine Family	TCP403DZDABA		
Displacement	6.6	. /	Liters	403	403 / Cubic Inc	
Maximum Rated Power: 300		HP @	2600	RPM	Engine	Configuration: 10
Ignition: Compression X		Comp	Compression with Glow			Spark
•	Fuel Type (s): Dedicated		Dual-Fuel	Diesel	<u>X</u> M10	00 M85 _
			LPG	Other (specia	fy)	
Diesel Cert Fuel:13	CCR 2282	40 CFR 86.13	40 CFR 86.1313-90		40 CFR 86.1	313-94 X
Primary Intended S	******	LHD	MHD X	HHD	Urban Bus	
Exhaust ECS (inc		C) CAC, OC, SPL,	TC			
		(Use	abbreviations per	SAE J1930 SEI	P91)	
Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³/stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3116 - 1	300 @ 2600	131 (114.9)	1074091			(1)
(1) Catalytic Conve 1006968 1030632 1030633 1030634	erter Part Nos. 103606 194481 104482	9 [173161 1 [173162	1230221 1261458 1288616			

08 SEPT 95

ISSUE DATE
REVISION NUMBER
REVISION DATE